

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 4/15/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Article

Product name : Wireless Headphones Li-ion Polymer 81352 battery

Product code : HPBT2475BK

Type of product : SP-188 Lithium cells and batteries are not subject to provision of ADR because lithium

metal is less than 2 gram.

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Use of the substance/mixture : Electrical batteries and accumulators

1.2.2. Uses advised against

Restrictions on use : Do not open batteries

1.3. Details of the supplier of the safety data sheet

Nedis B.V.
De Tweeling 28
5215MC 's Hertogenbosch, The Netherlands
T +31 735991055
www.nedis.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable solids, Category 1 H228
Substances and Mixtures which, in contact with water, emit H261
flammable gases, Category 2
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Reproductive toxicity, Category 1A H360
Specific target organ toxicity – Repeated exposure, Category 2 H373
Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02 GHS07

Signal word (CLP) : Danger

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : Cobalt lithium dioxide; Phosphate(1),hexafluoro-,Lithium

Hazard statements (CLP) : H228 - Flammable solid.

H261 - In contact with water releases flammable gases.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H360 - May damage fertility or the unborn child.

H373 - May cause damage to organs through prolonged or repeated exposure.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P201 - Obtain special instructions before use.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

 ${\tt P280-Wear\ protective\ gloves/protective\ clothing/eye\ protection/face\ protection/hearing}$

protection.

P302+P335+P334 - IF ON SKIN: Brush off loose particles from skin. Immerse in cool water

or wrap in wet bandages.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cobalt lithium dioxide	CAS-No.: 12190-79-3 EC-No.: 235-362-0	37.82	Repr. 1A, H360
Phosphate(1),hexafluoro-,Lithium	CAS-No.: 21324-40-3	18.56	Acute Tox. 3 (Oral), H301 Skin Corr. 1, H314 STOT RE 1, H372
Graphite	CAS-No.: 7782-42-5	16.48	Not classified
copper	CAS-No.: 7440-50-8	9.74	Aquatic Chronic 2, H411
aluminium	CAS-No.: 7429-90-5 EC-No.: 231-072-3 EC Index-No.: 013-002-00-1	9.03	Water-react. 2, H261 Flam. Sol. 1, H228
POLYETHYLENE	CAS-No.: 9002-88-4	3.03	Not classified
1,1-Difluoroethene homopolymer ; Poly(vinylene fluoride)	CAS-No.: 24937-79-9	1.46	Not classified
POLYPROPYLENE	CAS-No.: 9003-07-0	1.3	Not classified
nickel	CAS-No.: 7440-02-0 EC-No.: 231-111-4 EC Index-No.: 028-002-00-7	1.08	Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372 Aquatic Chronic 3, H412
Poly(12-aminododecanoic acid laurolactam)	CAS-No.: 24937-16-4	0.8	Not classified
STYRENE-BUTADIENE RUBBER	CAS-No.: 61789-96-6	0.39	Not classified
CROSCARMELLOSE	CAS-No.: 9000-11-7	0.31	Not classified

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a

doctor if you feel unwell.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Call a physician immediately.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable solid.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not allow contact with water.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : < 70 °C

Germany

Storage class (LGK, TRGS 510) : LGK 4.3 - Hazardous substances that release flammable gases when in contact with water

Joint storage table

LGK 2A LGK 1 LGK 2B LGK 3 LGK 4.1A LGK 4.1B LGK 4.2 LGK 4.3 GK 5.1A LGK 5.1B LGK 5.1C LGK 5.2 LGK 6.1A **LGK 6.1B** LGK 6.1C LGK 6.1D LGK 8A LGK 8B LGK 6.2 LGK 7 LGK 12 LGK 10 LGK 11 LGK 13 LGK 10-13

Joint storage not permitted for : LGK 1, LGK 2A, LGK 2B, LGK 3, LGK 4.1A, LGK 5.1A, LGK 5.1B, LGK 5.1C, LGK 5.2, LGK

6.1A, LGK 6.1B, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1B, LGK 4.2, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12,

LGK 10-13

Joint storage permitted for : LGK 4.3, LGK 13

Switzerland

Storage class (LK) : LK 4.3 - In contact with water, may partially decompose and release combustible gases

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

copper (7440-50-8)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Copper
Remark	(Year of adoption 2014)
Regulatory reference	SCOEL Recommendations
Netherlands - Occupational Exposure Limits	
Local name	Koper
TGG-8u (OEL TWA)	0.1 mg/m³ en anorganische koperverbindingen (inhaleerbaar)
Regulatory reference	Arbeidsomstandighedenregeling 2022
nickel (7440-02-0)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Nickel metal
Remark	(Year of adoption 2011)
Regulatory reference	SCOEL Recommendations
EU - Biological Limit Value (BLV)	
Local name	Nickel and nickel compounds
Regulatory reference	SCOEL List of recommended health-based BLVs and BGVs

8.1.2. Recommended monitoring procedures

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

No additional information available

8.2.2.2. Skin protection

No additional information available

8.2.2.3. Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Colour : Not available
Odour threshold : Not available
Melting point : Not available
Freezing point : Not applicable
Boiling point : Not available

Not available

Flammability : Flammable solid, In contact with water releases flammable gases.

: Not applicable Lower explosion limit Upper explosion limit : Not applicable : Not applicable Flash point : Not applicable Auto-ignition temperature Decomposition temperature : Not available : Not available pH solution : Not available Viscosity, kinematic : Not applicable : Not available Solubility Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available Density : Not available Relative density : Not available Relative vapour density at 20°C : Not applicable : Not available Particle size

4/15/2024 (Issue date) EN (English) 5/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. Flammable solid.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. In contact with water releases flammable gases.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Water, humidity.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Cobalt lithium dioxide (12190-79-3)	
	> 5000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

STYRENE-BUTADIENE RUBBER (61789-96-6)

LD50 oral rat	> 71300 mg/kg Source: National Library of Medicine
LD50 dermal rabbit	20000 mg/kg Source: National Library of Medicine

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : May damage fertility or the unborn child.

STOT-single exposure : Not classified

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Phosphate(1),hexafluoro-,Lithium (21324-40-3)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
nickel (7440-02-0)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard :	Not classified
Wireless Headphones Li-ion Polymer 81352 battery	
Viscosity, kinematic	Not applicable

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

acute

 $\label{thm:long-term} \hbox{Hazardous to the aquatic environment, long-term} \qquad : \quad \hbox{Harmful to aquatic life with long lasting effects.}$

(chronic)

12.2. Persistence and degradability

Wireless Headphones Li-ion Polymer 81352 battery	
Persistence and degradability	Not rapidly degradable
Cobalt lithium dioxide (12190-79-3)	
Persistence and degradability	Not rapidly degradable
Graphite (7782-42-5)	
Persistence and degradability	Not rapidly degradable
copper (7440-50-8)	
Persistence and degradability	Not rapidly degradable
aluminium (7429-90-5)	
Persistence and degradability	Not rapidly degradable
Phosphate(1),hexafluoro-,Lithium (21324-40-3)	
Persistence and degradability	Not rapidly degradable
POLYPROPYLENE (9003-07-0)	
Persistence and degradability	Not rapidly degradable
1,1-Difluoroethene homopolymer ; Poly(vinylene fluoride) (24937-79-9)	
Persistence and degradability	Not rapidly degradable
STYRENE-BUTADIENE RUBBER (61789-96-6)	
Persistence and degradability	Not rapidly degradable
CROSCARMELLOSE (9000-11-7)	
Persistence and degradability	Not rapidly degradable

4/15/2024 (Issue date) EN (English) 7/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nickel (7440-02-0)	
Persistence and degradability	Not rapidly degradable
POLYETHYLENE (9002-88-4)	
Persistence and degradability Not rapidly degradable	
Poly(12-aminododecanoic acid laurolactam) (24937-16-4)	
Persistence and degradability Not rapidly degradable	

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID n	14.1. UN number or ID number				
UN 3481	UN 3481	UN 3481	UN 3481	UN 3481	
14.2. UN proper shippin	g name				
LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT	Lithium ion batteries contained in equipment	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT	
Transport document descr	iption				
UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT, 9, (E)	UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT, 9	UN 3481 Lithium ion batteries contained in equipment, 9	UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT, 9	UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT, 9	
14.3. Transport hazard	14.3. Transport hazard class(es)				
9	9	9	9	9	
	9				

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M4

Special provisions (ADR) : 188, 230, 310, 348, 360, 376, 377, 387, 670

Limited quantities (ADR) : 0
Excepted quantities (ADR) : E0

Packing instructions (ADR) : P903, P908, P909, P910, P911, LP903, LP904, LP905, LP906

Transport category (ADR) : 2
Tunnel restriction code (ADR) : E
EAC code : 4W

Transport by sea

Special provisions (IMDG) : 188, 230, 310, 348, 360, 376, 377, 384, 387

Limited quantities (IMDG) : 0
Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P903, P908, P909, P910, P911, LP903, LP904, LP905, LP906

EmS-No. (Fire): F-AEmS-No. (Spillage): S-IStowage category (IMDG): AStowage and handling (IMDG): SW19

Properties and observations (IMDG) : Electrical batteries containing lithium ion encased in a rigid metallic body. Lithium ion

batteries may also be shipped in, or packed with, equipment. Electrical lithium batteries may cause fire due to an explosive rupture of the body caused by improper construction or

reaction with contaminants.

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : 967
PCA max net quantity (IATA) : 5kg
CAO packing instructions (IATA) : 967
CAO max net quantity (IATA) : 35kg

Special provisions (IATA) : A48, A88, A99, A154, A164, A181, A185, A206, A213, A220

ERG code (IATA) : 12FZ

Inland waterway transport

Classification code (ADN) : M4

Special provisions (ADN) : 188, 230, 310, 348, 360, 376, 377, 387, 670

 Limited quantities (ADN)
 : 0

 Excepted quantities (ADN)
 : E0

 Equipment required (ADN)
 : PP

 Number of blue cones/lights (ADN)
 : 0

Rail transport

Classification code (RID) : M4

Special provisions (RID) : 188, 230, 310, 348, 360, _376, 377, 387, 670

Limited quantities (RID) : 0
Excepted quantities (RID) : E0

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing instructions (RID) : P903, 908, 909, P910, P911, LP903, LP904, LP905, LP906

Transport category (RID) : 2
Colis express (express parcels) (RID) : CE2
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Not applicable.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains substance(s) listed on the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items: Graphite (7782-42-5), Aluminium powder (7429-90-5), Nickel powder (7440-02-0)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 25	Diseases resulting from the inhalation of mineral dust containing crystalline silica (quartz, cristobalite, tridymite), crystalline silicates (kaolin, talc), graphite or coal.
RG 66	Occupational rhinitis and asthma

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Netherlands

ABM category : Z(1) - non biodegradable substances with hazardous properties for humans and the

environment (carcinogenicity/ mutagenicity/ reprotoxicity/bioacumulative potential/ toxicity or

persistence)

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen – Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: None of the components are listed : None of the components are listed

: None of the components are listed : None of the components are listed

: None of the components are listed

Danish National Regulations

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

Switzerland

Chemicals Ordinance (ChemV, SR 813.11) : Group 1

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Carc. 2	Carcinogenicity, Category 2
Flam. Sol. 1	Flammable solids, Category 1
H228	Flammable solid.
H261	In contact with water releases flammable gases.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H360	May damage fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 1A	Reproductive toxicity, Category 1A
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
Water-react. 2	Substances and Mixtures which, in contact with water, emit flammable gases, Category 2

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.