

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 1/4/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Article

Product name : Portable FM Radio Li-ion battery

Product code : RDFM2100GY;RDFM2100BU;RDFM2100WT

Type of product : SP-188 Lithium cells and batteries are not subject to provsion of ADR because lithium ion is

less than 100 Wh

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

Use of the substance/mixture : Electrical batteries and accumulators

1.2.2. Uses advised against

Restrictions on use : Do not open batteries

1.3. Details of the supplier of the safety data sheet

Nedis B.V. De Tweeling 28 5215MC 's Hertogenbosch, The Netherlands T +31 735991055 www.nedis.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

Danger symbols/labeling in case of damaged and or ruptured battery.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cobalt lithium dioxide	CAS-No.: 12190-79-3 EC-No.: 235-362-0	35 – 38	Not classified
Graphite	CAS-No.: 7782-42-5	20 – 22	Not classified
Ethylene carbonate	CAS-No.: 96-49-1 EC-No.: 202-510-0	14 – 16	Not classified
Copper	CAS-No.: 7440-50-8 EC-No.: 231-159-6	9 – 10	Not classified
Aluminium	CAS-No.: 7429-90-5 EC-No.: 231-072-3	5 – 6	Not classified
Lithium hexafluorophosphate(1-)	CAS-No.: 21324-40-3 EC-No.: 244-334-7	5 – 6	Not classified
POLYPROPYLENE	CAS-No.: 9003-07-0	5 – 6	Not classified
Carbonic acid, ethyl methyl ester	CAS-No.: 623-53-0 EC-No.: 433-480-9	4 – 5	Not classified

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

1/4/2024 (Issue date) EN (English) 2/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : ≤ 70 °C

Germany

Storage class (LGK, TRGS 510) : LGK 13 - Non-combustible solids

Joint storage table : LGK 1

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7
Joint storage with restrictions permitted for : LGK 4.1A, LGK 5.1C

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1A, LGK 5.1B, LGK 5.2,

LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12,

LGK 13, LGK 10-13

Switzerland

Storage class (LK) : LK 11/13 - Solids

7.3. Specific end use(s)

No additional information available

1/4/2024 (Issue date) EN (English) 3/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

No additional information available

8.2.2.2. Skin protection

No additional information available

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Colour : Not available

Odour : If leaking, smells of medical ether.

Odour threshold : Not available Melting point : Not available Freezing point : Not applicable Boiling point : Not available Flammability : Non flammable. Lower explosion limit : Not applicable Upper explosion limit : Not applicable : Not applicable Flash point Auto-ignition temperature : Not applicable : Not available Decomposition temperature : Not available рΗ : Not available pH solution

1/4/2024 (Issue date) EN (English) 4/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Viscosity, kinematic : Not applicable Solubility : Not available : Not available Partition coefficient n-octanol/water (Log Kow) Not available Vapour pressure Vapour pressure at 50°C Not available Density Not available Relative density Not available Relative vapour density at 20°C : Not applicable Particle size : Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Graphite (7782-42-5)	
LD50 oral rat	> 2000 mg/kg Source: ECHA
LC50 Inhalation - Rat (Dust/Mist)	> 2000 mg/l Source: ECHA
Aluminium (7429-90-5)	
LD50 oral rat	> 15900 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LC50 Inhalation - Rat	> 0.888 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Cobalt lithium dioxide (12190-79-3)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	5.05 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method)
Copper (7440-50-8)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity), Guideline: other:
LC50 Inhalation - Rat	> 5.11 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method), Remarks on results: other:
Lithium hexafluorophosphate(1-) (21324-40-	3)
LD50 oral rat	50 – 300 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)
Ethylene carbonate (96-49-1)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: other:
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
Carbonic acid, ethyl methyl ester (623-53-0)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LC50 Inhalation - Rat	> 17.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity Reproductive toxicity	: Not classified : Not classified
Aluminium (7429-90-5)	Not dassilled
NOAEL (animal/male, F0/P)	1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Lithium hexafluorophosphate(1-) (21324-40-	3)
NOAEL (animal/male, F0/P)	500 mg/kg bodyweight Animal: rat, Animal sex: male
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aluminium (7429-90-5)	
LOAEC (inhalation, rat,dust/mist/fume, 90 days)	0.05 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
NOAEL (subchronic, oral, animal/male, 90 days)	1034 mg/kg bodyweight Animal: dog, Animal sex: male, Guideline: OECD Guideline 409 (Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aluminium (7429-90-5)	
NOAEL (subchronic, oral, animal/female, 90 days)	1087 mg/kg bodyweight Animal: dog, Animal sex: female, Guideline: OECD Guideline 409 (Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents)
Cobalt lithium dioxide (12190-79-3)	
NOAEL (oral, rat, 90 days)	3 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
Ethylene carbonate (96-49-1)	
LOAEL (oral, rat, 90 days)	554 mg/kg bodyweight Animal: rat, Animal sex: female
Carbonic acid, ethyl methyl ester (623-53-0)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))
Aspiration hazard :	Not classified
Portable FM Radio Li-ion battery	
Viscosity, kinematic	Not applicable

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short–term

(acute)

rt-term : Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

()	
Graphite (7782-42-5)	
LC50 - Fish [1]	100 mg/l Source: ECHA
EC50 - Crustacea [1]	100 mg/l Source: ECHA
ErC50 algae	100 mg/l Source: ECHA
Aluminium (7429-90-5)	
EC50 72h - Algae [1]	1.05 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.2 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
Cobalt lithium dioxide (12190-79-3)	
EC50 - Crustacea [1]	5.89 mg/l Test organisms (species): Daphnia magna
Lithium hexafluorophosphate(1-) (21324-40-3)	
EC50 96h - Algae [1]	> 100 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
NOEC chronic fish	4 mg/l Test organisms (species): Duration: '21 d'

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethylene carbonate (96-49-1)		
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)	
Carbonic acid, ethyl methyl ester (623-53-0)		
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 62 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	

12.2. Persistence and degradability

Portable FM Radio Li-ion battery		
Persistence and degradability	Not rapidly degradable	
Graphite (7782-42-5)		
Persistence and degradability	Not rapidly degradable	
Aluminium (7429-90-5)		
Persistence and degradability	Not rapidly degradable	
Cobalt lithium dioxide (12190-79-3)		
Persistence and degradability	Not rapidly degradable	
Copper (7440-50-8)		
Persistence and degradability	Not rapidly degradable	
Lithium hexafluorophosphate(1-) (21324-40-3)		
Persistence and degradability	Not rapidly degradable	
Ethylene carbonate (96-49-1)		
Persistence and degradability	Not rapidly degradable	
POLYPROPYLENE (9003-07-0)		
Persistence and degradability	Not rapidly degradable	
Carbonic acid, ethyl methyl ester (623-53-0)		
Persistence and degradability	Not rapidly degradable	

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

IMDG	IATA	ADN	RID
umber		'	
UN 3481	UN 3481	UN 3481	UN 3481
g name			
LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT	Lithium ion batteries contained in equipment	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT
iption			
UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT, 9	UN 3481 Lithium ion batteries contained in equipment, 9	UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT, 9	UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT, 9
class(es)			
9	9	9	9
<u>***</u>			
Not applicable	Not applicable	Not applicable	Not applicable
ards			
Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
	UN 3481 g name LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT ption UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT, 9 llass(es) 9 Not applicable ards Dangerous for the environment: No	UN 3481 UN 3481 UN 3481 UN 3481 Lithium ion batteries contained in equipment EQUIPMENT UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT, 9 UN 3481 Lithium ion batteries contained in equipment, 9 Llass(es) 9 9 9 Not applicable Not applicable ards Dangerous for the environment: No Dangerous for the environment: No	UN 3481 UN 3481 UN 3481 G name LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT Ption UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT Datteries contained in equipment, 9 UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT, 9 Plass(es) 9 9 9 9 9 10 10 10 10 10 10

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M4

Special provisions (ADR) : 188, 230, 310, 348, 360, 376, 377, 387, 670

Limited quantities (ADR) : 0
Excepted quantities (ADR) : E0

Packing instructions (ADR) : P903, P909, P910, P911, LP903, LP904, LP905, LP906

Transport category (ADR) : 2
Tunnel restriction code (ADR) : E
EAC code : 4W

Transport by sea

Special provisions (IMDG) : 188, 230, 310, 348, 360, 376, 377, 384, 387

1/4/2024 (Issue date) EN (English) 9/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (IMDG) : 0
Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P903, P909, P910, P911, LP903, LP904, LP905, LP906

EmS-No. (Fire): F-AEmS-No. (Spillage): S-IStowage category (IMDG): AStowage and handling (IMDG): SW19

Properties and observations (IMDG) : Electrical batteries containing lithium ion encased in a rigid metallic body. Lithium ion

batteries may also be shipped in, or packed with, equipment. Electrical lithium batteries may cause fire due to an explosive rupture of the body caused by improper construction or

reaction with contaminants.

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : 967
PCA max net quantity (IATA) : 5kg
CAO packing instructions (IATA) : 967
CAO max net quantity (IATA) : 35kg

Special provisions (IATA) : A48, A89, A99, A154, A164, A181, A185, A206, A213, A220

ERG code (IATA) : 12FZ

Inland waterway transport

Classification code (ADN) : M4

Special provisions (ADN) : 188, 230, 310, 348, 360, 376, 377, 387, 670

 Limited quantities (ADN)
 : 0

 Excepted quantities (ADN)
 : E0

 Equipment required (ADN)
 : PP

 Number of blue cones/lights (ADN)
 : 0

Rail transport

Classification code (RID) : M4

Special provisions (RID) : 188, 230, 310, 348, 360, _376, 377, 387, 670

Limited quantities (RID) : 0
Excepted quantities (RID) : E0

Packing instructions (RID) : P903, 908, 909, P910, P911, LP903, LP904, LP905, LP906

Transport category (RID) : 2
Colis express (express parcels) (RID) : CE2
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Not applicable.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 25	Diseases resulting from the inhalation of mineral dust containing crystalline silica (quartz, cristobalite, tridymite), crystalline silicates (kaolin, talc), graphite or coal.
RG 66	Occupational rhinitis and asthma

Germany

Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG).
-------------------------	---

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen - Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: None of the components are listed

: None of the components are listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.