

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 8/2/2021 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Article

Product name : Selfie Stick battery
Product code : SEST250BK

Type of product : SP-188 Lithium cells and batteries are not subject to provision of ADR because lithium

metal is less than 2 gram.

Product group : CR1632

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Use of the substance/mixture : Electrical batteries and accumulators

1.2.2. Uses advised against

Restrictions on use : Do not open batteries

1.3. Details of the supplier of the safety data sheet

Nedis B.V.
De Tweeling 28
5215MC 's Hertogenbosch, The Netherlands
T +31 735991055
www.nedis.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

Contains : manganese dioxide; lithium; Lithium perchlorate; 1,3-dioxolane

Hazard statements (CLP) : H302 - Harmful if swallowed.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P270 - Do not eat, drink or smoke when using this product.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Iron	CAS-No.: 7439-89-6 EC-No.: 231-096-4	52.24	Not classified
manganese dioxide	CAS-No.: 1313-13-9 EC-No.: 215-202-6 EC Index-No.: 025-001-00-3	38.82	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302
1,3-dioxolane	CAS-No.: 646-06-0 EC-No.: 211-463-5 EC Index-No.: 605-017-00-2	7.01	Flam. Liq. 2, H225 Eye Dam. 1, H318
propylene carbonate	CAS-No.: 108-32-7 EC-No.: 203-572-1 EC Index-No.: 607-194-00-1	6.7	Eye Irrit. 2, H319
lithium	CAS-No.: 7439-93-2 EC-No.: 231-102-5 EC Index-No.: 003-001-00-4	1.97	Water-react. 1, H260 Skin Corr. 1B, H314
Lithium perchlorate	CAS-No.: 7791-03-9 EC-No.: 232-237-2	1.52	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Protect from moisture. Store in a dry place.

Store in a closed container. Store locked up.

Storage temperature : < 70 °C

Germany

Storage class (LGK, TRGS 510) : LGK 13 - Non-combustible solids

Joint storage table : Ica

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7
Joint storage with restrictions permitted for : LGK 4.1A, LGK 5.1C

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1A, LGK 5.1B, LGK 5.2,

LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12,

LGK 13, LGK 10-13

Switzerland

Storage class (LK) : LK 11/13 - Solids

7.3. Specific end use(s)

No additional information available

8/2/2021 (Issue date) EN (English) 3/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

No additional information available

8.2.2.2. Skin protection

No additional information available

8.2.2.3. Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid Colour : Not available Odour : Not available Odour threshold : Not available Melting point : Not available Freezing point : Not applicable Boiling point : Not available Flammability : Not available Lower explosion limit : Not applicable Upper explosion limit : Not applicable : Not applicable Flash point Auto-ignition temperature : Not applicable : Not available Decomposition temperature рΗ : Not available : Not available pH solution

8/2/2021 (Issue date) EN (English) 4/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Viscosity, kinematic : Not applicable Solubility : Not available : Not available Partition coefficient n-octanol/water (Log Kow) Not available Vapour pressure Vapour pressure at 50°C Not available Density Not available Relative density Not available Relative vapour density at 20°C : Not applicable Particle size : Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Selfie Stick battery

ATE CLP (oral) 1239.465 mg/kg bodyweight

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation Not classified Germ cell mutagenicity : Not classified Carcinogenicity Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure Not classified Aspiration hazard : Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Selfie Stick battery	
Viscosity, kinematic	Not applicable

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term :

: Not classified

(acute)

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

12.2. Persistence and degradability

Selfie Stick battery		
Persistence and degradability	Not rapidly degradable	
manganese dioxide (1313-13-9)		
Persistence and degradability	Not rapidly degradable	
Iron (7439-89-6)		
Persistence and degradability	Not rapidly degradable	
lithium (7439-93-2)		
Persistence and degradability	Not rapidly degradable	
Lithium perchlorate (7791-03-9)		
Persistence and degradability	Not rapidly degradable	
propylene carbonate (108-32-7)		
Persistence and degradability	Not rapidly degradable	
1,3-dioxolane (646-06-0)		
Persistence and degradability	Not rapidly degradable	

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3091	UN 3091	UN 3091	UN 3091	UN 3091
14.2. UN proper shippin	g name			
LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT / LITHIUM METAL BATTERIES PACKED WITH EQUIPMENT	LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT	Lithium metal batteries contained in equipment	LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT	LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT
Transport document descr	iption			
UN 3091 LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT / LITHIUM METAL BATTERIES PACKED WITH EQUIPMENT, 9, (E)	UN 3091 LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT, 9	UN 3091 Lithium metal batteries contained in equipment, 9	UN 3091 LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT, 9	UN 3091 LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT, 9
14.3. Transport hazard	class(es)			
9	9	9	9	9

14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information	n available			

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M4

Special provisions (ADR) : 188, 230, 310, 360, 376, 377, 387, 670

Limited quantities (ADR) : 0
Excepted quantities (ADR) : E0

Packing instructions (ADR) : P903, P908, P909, P910, P911, LP903, LP904, LP905, LP906

Transport category (ADR) : 2
Tunnel restriction code (ADR) : E
EAC code : 4W

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport by sea

Special provisions (IMDG) : 188, 230, 310, 360, 376, 377, 384, 387

Limited quantities (IMDG) : 0
Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P903, P908, P909, P910, P911, LP903, LP904, LP905, LP906

EmS-No. (Fire): F-AEmS-No. (Spillage): S-IStowage category (IMDG): AStowage and handling (IMDG): SW19

Properties and observations (IMDG) : Electrical batteries containing lithium encased in a rigid metallic body. Lithium batteries may

also be shipped in, or packed with, equipment. Electrical lithium batteries may cause fire due to an explosive rupture of the body caused by improper construction or reaction with

contaminants.

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : 970
PCA max net quantity (IATA) : 5kg
CAO packing instructions (IATA) : 970
CAO max net quantity (IATA) : 35kg

Special provisions (IATA) : A48, A88, A99, A154, A164, A181, A185, A206, A213, A220

ERG code (IATA) : 12FZ

Inland waterway transport

Classification code (ADN) : M4

Special provisions (ADN) : 188, 230, 360, 376, 377, 387, 670

Limited quantities (ADN) : 0

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M4

Special provisions (RID) : 188, 230, 310, 360, _376, 377, 387, 670

Limited quantities (RID) : 0
Excepted quantities (RID) : E0

Packing instructions (RID) : P903, 908, 909, P910, P911, LP903, LP904, LP905, LP906

Transport category (RID) : 2
Colis express (express parcels) (RID) : CE2
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Not applicable.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

8/2/2021 (Issue date) EN (English) 8/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 39	Occupational diseases caused by manganese dioxide

Germany

Employment restrictions	 Observe restrictions according Act on the Protection of Working Mothers (MuSchG).
-------------------------	---

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(4) - low hazard for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen – Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: Lithium perchlorate is listed

: Lithium perchlorate is listed: None of the components are listed

: None of the components are listed

: None of the components are listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H260	In contact with water releases flammable gases which may ignite spontaneously.	
H271	May cause fire or explosion; strong oxidiser.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
Ox. Liq. 1	Oxidising Liquids, Category 1	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Water-react. 1	Substances and Mixtures which, in contact with water, emit flammable gases, Category 1	

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.